

PREA AUDIT REPORT  INTERIM  FINAL

COMMUNITY CONFINEMENT FACILITIES



<b>Auditor Information</b>			
Auditor name:			
Address:			
Email:			
Telephone number:			
Date of facility visit:			
<b>Facility Information</b>			
Facility name:			
Facility physical address:			
Facility mailing address: <i>(if different from above)</i>			
Facility telephone number:			
The facility is:	<input type="checkbox"/> Federal	<input type="checkbox"/> State	<input type="checkbox"/> County
	<input type="checkbox"/> Military	<input type="checkbox"/> Municipal	<input type="checkbox"/> Private for profit
	<input type="checkbox"/> Private not for profit		
Facility type:	<input type="checkbox"/> Community treatment center	<input type="checkbox"/> Community-based confinement facility	<input type="checkbox"/> Other
	<input type="checkbox"/> Halfway house	<input type="checkbox"/> Mental health facility	
	<input type="checkbox"/> Alcohol or drug rehabilitation center		
Name of facility's Chief Executive Officer:			
Number of staff assigned to the facility in the last 12 months:			
Designed facility capacity:			
Current population of facility:			
Facility security levels/inmate custody levels:			
Age range of the population:			
Name of PREA Compliance Manager:		Title:	
Email address:		Telephone number:	
<b>Agency Information</b>			
Name of agency:			
Governing authority or parent agency: <i>(if applicable)</i>			
Physical address:			
Mailing address: <i>(if different from above)</i>			
Telephone number:			
<b>Agency Chief Executive Officer</b>			
Name:		Title:	
Email address:		Telephone number:	
<b>Agency-Wide PREA Coordinator</b>			
Name:		Title:	
Email address:		Telephone number:	

## AUDIT FINDINGS

### NARRATIVE

## DESCRIPTION OF FACILITY CHARACTERISTICS

## SUMMARY OF AUDIT FINDINGS

Number of standards exceeded:

Number of standards met:

Number of standards not met:

Number of standards not applicable:

**Standard 115.211 Zero tolerance of sexual abuse and sexual harassment; PREA Coordinator**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

**Standard 115.212 Contracting with other entities for the confinement of residents**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.213 Supervision and monitoring**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.215 Limits to cross-gender viewing and searches**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.216 Residents with disabilities and residents who are limited English proficient**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.217 Hiring and promotion decisions**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.218 Upgrades to facilities and technologies**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.221 Evidence protocol and forensic medical examinations**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.222 Policies to ensure referrals of allegations for investigations**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.231 Employee training**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.232 Volunteer and contractor training**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.233 Resident education**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

**Standard 115.234 Specialized training: Investigations**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

**Standard 115.235 Specialized training: Medical and mental health care**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

#### **Standard 115.241 Screening for risk of victimization and abusiveness**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

#### **Standard 115.242 Use of screening information**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.251 Resident reporting**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.252 Exhaustion of administrative remedies**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.253 Resident access to outside confidential support services**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.254 Third-party reporting**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.261 Staff and agency reporting duties**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.262 Agency protection duties**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.263 Reporting to other confinement facilities**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.264 Staff first responder duties**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.265 Coordinated response**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.266 Preservation of ability to protect residents from contact with abusers**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.267 Agency protection against retaliation**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.271 Criminal and administrative agency investigations**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.272 Evidentiary standard for administrative investigations**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.273 Reporting to residents**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.276 Disciplinary sanctions for staff**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.277 Corrective action for contractors and volunteers**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.278 Disciplinary sanctions for residents**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.282 Access to emergency medical and mental health services**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.283 Ongoing medical and mental health care for sexual abuse victims and abusers**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.286 Sexual abuse incident reviews**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.287 Data collection**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.288 Data review for corrective action**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

**Standard 115.289 Data storage, publication, and destruction**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor’s analysis and reasoning, and the auditor’s conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

**AUDITOR CERTIFICATION**

I certify that:

- The contents of this report are accurate to the best of my knowledge.
- No conflict of interest exists with respect to my ability to conduct an audit of the agency under review, and
- I have not included in the final report any personally identifiable information (PII) about any resident or staff member, except where the names of administrative personnel are specifically requested in the report template.

---

Auditor Signature

---

Date